ALVIS

Science-Driven Pharmaceutical Excellence

Delivering Trusted Healthcare Solutions

- WHO-GMP Manufacturing
- 200+ Products
- Critical Care
- Respiratory Solutions
- Nutraceuticals
- De-Addiction Support



Science.
Quality.
Care.
Always.

ALVIS MEDISYNTHESIS PVT LTD

+91 7027742069

info@alvismedisynthesis.in

www.alvismedisynthesis.in

Scan to know more about us

About Alvis

Alvis Medisynthesis Pvt Ltd is committed to delivering high-quality pharmaceutical solutions backed by scientific integrity and regulatory compliance.



200+ Products
Wide portfolio across therapeutic segments

WHO-GMP Certified Manufacturing
Quality you can trust

Pan India Presence
Strong distribution network

Science-Driven
Innovative formulations for better outcomes.

Our Mission
Deliver high-quality pharmaceutical solutions and support better healthcare outcomes.

Our Vision
To be one of India's most trusted pharmaceutical companies through innovation and excellence.

+91 7027742069 | info@alvismedisynthesis.in | www.alvismedisynthesis.in

Therapeutic Segments

Comprehensive range of products designed to support healthcare professionals in every critical need.



Critical Care

Advanced solutions for intensive and emergency care



Respiratory

Dedicated range for respiratory wellness and care



Nutraceuticals

Evidence-based nutrition for better health



De-Addiction

Support products for a smoke-free tomorrow

CRITICAL CARE



ALVIS MERO 1

Composition

Meropenem Injection I.P. 1gm

Pack Size

Tray Pack Vial with WFI

Therapeutic Use

Severe or complicated bacterial infections, including pneumonia, meningitis, and complicated infections of the skin, abdomen, and urinary tract.



ALVIS MERO 500

Composition

Meropenem Injection I.P. 500mg

Pack Size

Tray Pack Vial with WFI

Therapeutic Use

Severe or complicated bacterial infections, including pneumonia, meningitis, and complicated infections of the skin, abdomen, and urinary tract.



AMINODRIP

Composition

Nutritive Infusion of Pure Crystalline Amino Acids


Pack Size

200ml glass bottle

Therapeutic Use

Primarily prescribed as vital nutritional support for critically ill, recovering, or malnourished patients who cannot safely eat or absorb food through their digestive tract.

CRITICAL CARE



AMOXYPIC 1.2

Composition

Amoxycillin and Potassium Clavulanate 1.2gm Injection

Pack Size

Tray Pack Vial with WFI

Therapeutic Use

It treats respiratory (e.g., pneumonia), urinary tract, skin, bone, and dental infections, and helps prevent post-surgical bacterial infections.



AMOXYPIC-CV

Composition

Amoxycillin, Potassium Clavulanate & Lactic Acid Bacillus 625 mgTablets

Pack Size

10 Tab Alu Alu

Therapeutic Use

Amoxicillin and clavulanate kill harmful bacteria, while the lactic acid bacillus adds beneficial probiotics to your gut to prevent antibiotic-associated diarrhea.



ARTIPIC 60

Composition

Artisunate 60mg Injection I.P.


Pack Size

Tray Pack Vial with WFI

Therapeutic Use

Life-saving, fast-acting antimalarial medication used for the initial management of severe and complicated malaria, particularly that caused by Plasmodium falciparum.

CRITICAL CARE



ARTIPIC 120

Composition

Artisunate 120mg Injection I.P.

Pack Size

Tray Pack Vial with WFI

Therapeutic Use

Life-saving, fast-acting antimalarial medication used for the initial management of severe and complicated malaria, particularly that caused by Plasmodium falciparum.



AVIMATE 2.5

Composition

Ceftazidime + Avibactam 2.5 gm Injection

Pack Size

Tray Pack Vial with WFI

Therapeutic Use

Used to treat severe, multidrug-resistant bacterial infections. It is primarily administered intravenously in hospital settings for complicated intra-abdominal infections.



AZISOL 500

Composition

Azithromycin 500mg Injection

Pack Size

Tray Pack Vial with WFI

Therapeutic Use

Used to treat severe or life-threatening bacterial infections—such as community-acquired pneumonia and pelvic inflammatory disease—or for patients who cannot take oral medications.

CRITICAL CARE



AZTRACK

Composition

Azetreonam inj

Pack Size

1gm/2gm/500mg tray with WFI

Therapeutic Use

Severe, susceptible gram-negative bacterial infections. It is commonly prescribed for pneumonia, urinary tract infections (UTIs), intra-abdominal, gynecological, and skin infections.



CALCINEX

Composition

Calcium Gluconate + Calcium Lactobionate Injection

Pack Size

5 Ampules of 10ml in a tray

Therapeutic Use

Used to rapidly restore calcium levels in the body and treat electrolyte imbalances. It is administered by healthcare professionals in hospital settings to ensure safe dosing and monitoring.



CEFEPIC-S 1.5

Composition

Cefepime + Sulbactam 1.5gm inj

Pack Size

Tray Pack Vial with WFI

Therapeutic Use

It is a broad-spectrum combination antibiotic used to treat serious bacterial infections like pneumonia, complicated urinary tract infections, intra-abdominal infections (e.g., peritonitis), and sepsis.

CRITICAL CARE

CEFOMATE-CV



Composition

Cefpodoxime Proxetil + Potassium Clavulanate 325mg Tablets


Pack Size

10 Tab Alu Alu

Therapeutic Use

It is a combination antibiotic. Cefpodoxime kills bacteria by destroying their cell walls, while potassium clavulanate acts as an inhibitor that prevents resistant bacteria from breaking down the antibiotic.

CEFOPIC 1.5



Composition

Cefoperazone + Sulbactam 1.5gm inj

Pack Size

1.5 gm dry powder

Therapeutic Use

Used to treat serious bacterial infections, including pneumonia, intra-abdominal infections, septicemia, meningitis, and infections of the urinary tract, skin, and bones.

CEPIC-FORTE



Composition

Ceftriaxone + Sulbactam 1.5gm


Pack Size

1.5 gm dry powder

Therapeutic Use

Respiratory Tract Infections: Pneumonia and bronchitis.
Urinary Tract Infections (UTIs): Complicated or multidrug-resistant UTIs.
Intra-Abdominal Infections: Peritonitis and biliary tract infections.

CRITICAL CARE



CEPIC-TZ

Composition

Ceftriaxone + Tazobactam 1.125gm

Pack Size

1.5 gm dry powder

Therapeutic Use

Respiratory Tract: Pneumonia and severe bronchitis.
Urinary System: Complicated urinary tract infections (UTIs) and kidney infections (pyelonephritis).
Abdominal & Pelvic: Intra-abdominal infections (like peritonitis) and pelvic inflammatory disease (PID).



CLARIMATE 500

Composition

Clarithromycin 500mg

Pack Size

10 Tablets Blister

Therapeutic Use

Macrolide antibiotic primarily used in hospital settings to treat severe bacterial infections or when oral therapy is ineffective. It works by stopping bacteria from producing essential proteins required for their survival and growth.



CLARIMATE INJ

Composition

Artisunate 60mg Injection I.P.

Pack Size

Tray Pack Vial with WFI

Therapeutic Use

Lower Respiratory Tract Infections: Community-acquired pneumonia and acute bacterial exacerbation of chronic bronchitis.
Upper Respiratory Tract Infections: Acute maxillary sinusitis and pharyngitis.

CRITICAL CARE



CLINDAMATE

Composition

Clindamycin Injection I.P.

Pack Size

2ml/4ml Ampule in a Tray Pack

Therapeutic Use

Powerful lincosamide antibiotic used to treat serious bacterial infections, particularly in patients who cannot take penicillin or have penicillin-resistant strains. It works by stopping or slowing the growth of bacteria.



CLINDAMATE CAP

Composition

Clindamycin 300mg Tablets

Pack Size

10 tablets ALU ALU

Therapeutic Use

Skin & Soft Tissue Infections: Treats severe acne and deep tissue infections.
Respiratory Infections: Used for lung infections and pneumonia.
Bone & Joint Infections: Frequently prescribed for osteomyelitis due to its ability to penetrate bone tissue.



C-NEX

Composition

Ceftriaxone 1000mg + Sulbactam 500mg + EDTA 37.5mg

Pack Size

Vial with WFI

Therapeutic Use

C-Nex is a powerful antibiotic formulation used to treat severe bacterial infections that resist standard drugs. It is primarily used to overcome Multi-Drug Resistant (MDR) Gram-negative bacteria by breaking down bacterial defenses.

CRITICAL CARE



COLISTIC

Composition

Colistimethate Injection I.P.

Pack Size

1MIU/2MIU in a Tray Pack

Therapeutic Use

A polymyxin-class antibiotic primarily used as a critical, last-resort treatment for severe, multidrug-resistant Gram-negative bacterial infections. It destroys the bacteria's cell membrane and is typically reserved for hospitalized or critically ill patients when other antibiotics have failed.



CORTIT

Composition

Hydrocortisone 100mg Injection I.P.

Pack Size

Vial with WFI

Therapeutic Use

A powerful corticosteroid used to rapidly reduce severe inflammation, suppress overactive immune responses, and treat acute hormone deficiencies. It is administered by healthcare professionals in hospitals or clinics.



CYCLOSOL

Composition

Aciclovir Injection I.P.

Pack Size

250/500 mg Vial

Therapeutic Use

An antiviral medication used to treat severe viral infections caused by the herpes simplex and varicella-zoster viruses.

CRITICAL CARE



DICLOSOL-AQ

Composition

Diclofenac 75 mg Injection I.P.

Pack Size

5 ampules of 1ml in a blister pack

Therapeutic Use

A potent nonsteroidal anti-inflammatory drug (NSAID) used for the short-term relief of moderate to severe pain and inflammation.



DOXYPIC

Composition

Doxycycline Injection USP

Pack Size

100/200mg Vial with Vit.C and WFI in a Tray pack

Therapeutic Use

Doxycycline injection is a broad-spectrum tetracycline antibiotic used to treat or prevent a wide range of severe bacterial infections



DOXYPIC CAP

Composition

Doxycycliine 100mg Capsules

Pack Size

10 Capsules ALU ALU

Therapeutic Use

Respiratory & Urinary Infections: Pneumonia, bacterial bronchitis, and urinary tract infections caused by susceptible strains like Klebsiella and Haemophilus influenzae.
Tick and Vector-Borne Diseases: Rocky Mountain spotted fever, typhus, Q fever, and tick fevers (caused by Rickettsiae bacteria).
Sexually Transmitted Infections: Treatment for syphilis, and gonorrhea.

CRITICAL CARE



EDE-PHASE

Composition

Disodium Edetate(EDTA) 37.5mg

Pack Size

1ml ampule in a Tray Pack

Therapeutic Use

EDTA (Ethylenediaminetetraacetic acid) is primarily used as an antibiotic adjuvant. By breaking down bacterial defenses, it re-sensitizes resistant pathogens—particularly Gram-negative bacteria like E. coli and K. pneumoniae—to standard antibiotics.

FAROMATE-CV



Composition

Faropenem & Potassium Clavulanate 325mg Tablets

Pack Size

6 Tablets in ALU ALU

Therapeutic Use

Respiratory Tract Infections: Pneumonia, bronchitis, and sinusitis.
ENT and Dental Infections: Infections affecting the ears, nose, throat, and gums/teeth.
Urinary Tract Infections (UTI): Infections in the bladder and kidneys.

FERI-FCM



Composition

Ferric Carboxymaltose 500mg inj

Pack Size

10 ml vial in a Tray Pack

Therapeutic Use

Ferric carboxymaltose is an intravenous iron replacement therapy primarily used to treat iron deficiency anemia. It is prescribed when oral iron supplements are ineffective, not tolerated, or when a rapid iron build-up is required.

CRITICAL CARE

FERIPEX



Composition

Iron Sucrose Injection USP

Pack Size

1 ampule of 5ml in a Tray Pack

Therapeutic Use

Iron sucrose injection is an intravenous (IV) medication used to treat iron deficiency anemia. It is primarily prescribed for patients with chronic kidney disease (CKD)—including those on dialysis.

FUROPEX-500



Composition

Cefuroxime Axetil Tablets IP 500mg

Pack Size

10 Tablets in Aluminum Pack

Therapeutic Use

Cefuroxime Axetil IP 500mg is a broad-spectrum cephalosporin antibiotic used to treat a wide variety of bacterial infections. It works by stopping bacterial growth. It is ineffective against viral infections like the common cold or flu.

FUROX-SB



Composition

Cefuroxime + Sulbactam 1.5gm Injection

Pack Size

Tray Pack Vial with WFI

Therapeutic Use

A combination antibiotic used to treat severe or resistant bacterial infections. Cefuroxime kills the bacteria, while sulbactam stops bacteria from developing resistance. It is commonly administered by a healthcare professional in a clinical setting.

CRITICAL CARE



IMIPIC

Composition

Imipenem & Cilastatin 500mg Injection I.P.

Pack Size

Vial in aTray Pack

Therapeutic Use

A powerful, broad-spectrum carbapenem antibiotic used exclusively in hospital or clinical settings to treat severe, complicated bacterial infections. It is typically reserved for treating conditions like pneumonia, intra-abdominal infections, and complicated urinary tract infections.



LINOPIC-600

Composition

Linezolid 600mg Tablets I.P.

Pack Size

10 tablets in ALU ALU

Therapeutic Use

A powerful oxazolidinone antibiotic used to treat serious bacterial infections, especially those resistant to other antibiotics. Common indications include pneumonia, complicated skin and soft tissue infections, and bloodstream infections. It works by stopping bacterial growth.



L-THION

Composition

Glutathione 600mg Injection

Pack Size

Vial With Vit.C ampule and WFI in a Tray Pack

Therapeutic Use

A potent antioxidant used primarily as a supportive treatment for liver diseases, such as alcoholic fatty liver, cirrhosis, and hepatitis. It protects liver cells from oxidative damage caused by free radicals and toxins.

CRITICAL CARE



MECOPIC-B

Composition

Methylcobalamin, Thiamine, Pyridoxine, Nicotinamide & D-Panthenol Injection

Pack Size

5 ampules of 2ml in a Tray Pack

Therapeutic Use

Primarily prescribed to treat severe vitamin B-complex deficiencies and neurological disorders. By delivering active essential vitamins directly into the bloodstream or muscles, it helps repair damaged nerves, boosts energy metabolism, and relieves symptoms of nerve pain.



MEROPEX-SB

Composition

Meropenem + Sulbactam 1.5gm Injection

Pack Size

Tray Pack Vial with WFI

Therapeutic Use

A powerful, broad-spectrum antibiotic combination used to treat severe, complicated bacterial infections like pneumonia, intra-abdominal infections, complicated urinary tract infections, meningitis, and bloodstream infections.



MYOSOL

Composition

Thiocolchicoside Capsules IP 4 mg

Pack Size

10 capsules in ALU ALU

Therapeutic Use

A prescription muscle relaxant used as an adjuvant treatment for painful muscle contractures and spasms in acute spinal conditions, back pain, and orthopaedic disorders. It acts on the central nervous system to relieve muscle stiffness without reducing strength.

CRITICAL CARE

NORAVAC



Composition

Sterile Noradrenaline 4mg Injection I.P.

Pack Size

10 ampules of 2ml in a Tray Pack

Therapeutic Use

Noradrenaline (Norepinephrine) 2ml injection is a potent emergency medication primarily used in intensive care units (ICUs) to rapidly raise and stabilize dangerously low blood pressure (acute hypotension).

ORNIPIC



Composition

L-ornithine L-aspartate 10ml Injection

Pack Size

Vial in a Tray Pack

Therapeutic Use

A hepatoprotective and ammonia-lowering medication primarily used to treat hepatic encephalopathy (reduced brain function caused by severe liver disease) and to manage elevated blood ammonia levels (hyperammonemia).

PARADYN



Composition

Paracetamol Infusion 100ml I.P.


Pack Size

100ml Bottle

Therapeutic Use

A prescription medication used for the short-term management of moderate to severe pain (especially after surgery) and for the reduction of fever. It is typically administered in hospitals or clinical settings when oral medication is not possible or clinically appropriate.

CRITICAL CARE



POLYPHASE

Composition

Polymyxin B Injection 50,000 units

Pack Size

Vial in a Tray Pack

Therapeutic Use

A powerful, last-resort antibiotic primarily used in hospital settings to treat severe, multi-drug resistant Gram-negative bacterial infections (e.g., Pseudomonas aeruginosa, E. coli, and Klebsiella). It works by rupturing the bacterial cell membrane.



SCORPIC-C

Composition

Ascorbic Acid 1500mg Injection I.P.

Pack Size

6ml Vial

Therapeutic Use

A high-dose therapeutic formulation used primarily to treat severe vitamin C deficiency (scurvy) in patients who cannot take oral supplements or require rapid replacement.



TAZIT 1.125

Composition

Cefoperazone & Tazobactam 1.125 mg Injection

Pack Size

Vial with WFI

Therapeutic Use

Respiratory Infections: Including bacterial pneumonia and hospital-acquired or ventilator-associated pneumonia.
Intra-abdominal Infections: Conditions such as peritonitis, cholecystitis, and abdominal abscesses.
Urinary Tract Infections (UTIs): Complicated and severe infections of the kidneys and bladder.

CRITICAL CARE



TAZOPIC

Composition

Piperacillin & Tazobactam 4.5gm Injection I.P.

Pack Size

Dry Powder Vial

Therapeutic Use

A broad-spectrum combination antibiotic used to treat severe, complicated bacterial infections. It pairs piperacillin (a penicillin antibiotic that kills bacteria) with tazobactam (a beta-lactamase inhibitor that prevents bacteria from rendering the antibiotic ineffective).



TIGEPIC

Composition

Tigecycline 50mg Injection

Pack Size

Vial in aTray Pack

Therapeutic Use

A broad-spectrum glycylcycline antibiotic administered intravenously. It is strictly used in adults to treat severe, complicated infections—such as pneumonia and stomach or skin infections—when alternative antibiotics are unsuitable.



TECOPIC

Composition

Teicoplanin 400mg Injection I.P.

Pack Size

Tray Pack Vial with WFI

Therapeutic Use

A powerful glycopeptide antibiotic used primarily to treat severe and complicated bacterial infections caused by Gram-positive bacteria. It is especially critical in hospital settings for treating Methicillin-resistant Staphylococcus aureus (MRSA) and for patients who are allergic or unresponsive to penicillins.

CRITICAL CARE



TRAMASOL-P

Composition

Tramadol Hydrochloride & Paracetamol Tablets IP

Pack Size

15 tablets in a blister pack

Therapeutic Use

A prescription-only, fixed-dose combination medication used for the short-term symptomatic treatment of moderate to severe pain. They combine the fast-acting pain relief of paracetamol with the opioid-like, pain-blocking action of tramadol.



TRANAPEX

Composition

Tranexamic Acid Injection IP 100mg/ml

Pack Size

5 ampules of 5ml in a Tray Pack

Therapeutic Use

Tranexamic Acid Injection IP 100mg/ml is an anti-fibrinolytic medication used to prevent or control excessive bleeding. It works by stopping blood clots from breaking down too quickly.



URISIX

Composition

Furosemide Injection 2ml IP

Pack Size

10 ampules of 2ml in a Tray Pack

Therapeutic Use

Furosemide Injection IP is a potent "water pill" (loop diuretic) primarily used to rapidly remove excess fluid and salt from the body. It is typically reserved for emergency situations or for patients who cannot take oral medications.

CRITICAL CARE



VANCOPIC 500

Composition

Vancomycin 500mg Injection I.P

Pack Size

Tray Pack Vial with WFI

Therapeutic Use

A potent glycopeptide antibiotic primarily used in hospitals to treat severe or life-threatening bacterial infections, particularly those caused by Gram-positive bacteria like MRSA. It works by stopping bacteria from building their protective cell walls.



VANCOPIC 1

Composition

Vancomycin 1gm Injection I.P

Pack Size

Tray Pack Vial with WFI

Therapeutic Use

A potent glycopeptide antibiotic primarily used in hospitals to treat severe or life-threatening bacterial infections, particularly those caused by Gram-positive bacteria like MRSA. It works by stopping bacteria from building their protective cell walls.

RESPIRATORY



BUDEPIC 0.5

Composition

Budesonide 0.5mg Respules

Pack Size

30 respules of 2ml in a box

Therapeutic Use

A potent corticosteroid that suppresses inflammation in the body. Depending on the condition, it is prescribed as an inhaler (for breathing issues), an oral capsule or tablet (for gastrointestinal and kidney diseases), a nasal spray (for allergies), or a nebulizer solution.



BUDEPIC 1

Composition

Budesonide 1mg Respules

Pack Size

25 respules of 2ml in a box

Therapeutic Use

Asthma: Used daily as a maintenance medication to prevent wheezing, coughing, and shortness of breath. Note: It is not a rescue inhaler for active asthma attacks.
COPD: Helps manage Chronic Obstructive Pulmonary Disease in adults.



DOXOL-400

Composition

Doxofylline 400 mg tablets

Pack Size

10 Tablets in Blister pack

Therapeutic Use

A prescription bronchodilator used to prevent and treat breathing difficulties caused by chronic respiratory conditions. They help relax and widen the airways, relieving symptoms like wheezing, shortness of breath, and chest tightness.

RESPIRATORY



DOXOL 2ML

Composition

Doxofylline 2ml Injection

Pack Size

5 ampules in a Tray Pack

Therapeutic Use

A fast-acting bronchodilator primarily used to treat acute respiratory distress and severe breathing difficulties. It works by relaxing the smooth muscles of the airways and reducing inflammation.



DUOPIC

Composition


Levosalbutamol 1.25mg and Ipratropium Bromide 0.5mg Respules

Pack Size

30 respules of 2.5ml in a box

Therapeutic Use

A combination medication used to open narrowed airways and make breathing easier. It is primarily prescribed for the management of chronic obstructive pulmonary disease (COPD)—including chronic bronchitis and emphysema—and for asthma flare-ups.



FORMO CS

Composition

Budesonide & Formoterol Fumarate Respules

Pack Size

- 25 Respules of 2ml in a box
- Available in 0.5 mg and 1mg

Therapeutic Use

A combination medication used to prevent and treat symptoms of asthma and Chronic Obstructive Pulmonary Disease (COPD). It works by reducing airway inflammation and relaxing the muscles in the lungs.

RESPIRATORY

FORMO CS 400



Composition

Budesonide & Formoterol Fumarate Powder Rotacap

Pack Size

30 Rotacap in a pack

Therapeutic Use

Asthma Management: Used for the long-term, twice-daily prevention of symptoms like wheezing, shortness of breath, and chest tightness in adults and children aged 6 years and older.
COPD Maintenance: Used as a long-term maintenance treatment for airflow obstruction and flare-ups in patients with COPD, which includes chronic bronchitis and emphysema.

GLYCOMIST



Composition

Glycopyrronium 25mcg respules

Pack Size

25 respules of 2ml in a box

Therapeutic Use

An anticholinergic bronchodilator primarily used as a long-term maintenance treatment to control and prevent symptoms of Chronic Obstructive Pulmonary Disease (COPD), including chronic bronchitis and emphysema.

MISTIN 2ML



Composition

Acetylcysteine 2ml Injection BP

Pack Size

5 ampules of 2ml in a Tray Pack

Therapeutic Use

N-acetylcysteine (NAC) injection is an FDA-approved antidote primarily used to prevent or reduce severe liver damage following an acetaminophen (paracetamol) overdose. It works by restoring glutathione levels in the liver, which neutralizes toxic by products from the medication.

RESPIRATORY



MISTIN 5ML

Composition

Acetylcysteine 5ml Injection BP

Pack Size

5ml ampule in a Tray Pack

Therapeutic Use

N-acetylcysteine (NAC) injection is an FDA-approved antidote primarily used to prevent or reduce severe liver damage following an acetaminophen (paracetamol) overdose. It works by restoring glutathione levels in the liver, which neutralises toxic by products from the medication.



MISTIN MM

Composition

N-Acetyl L-Cysteine Mouth Melt Sachet

Pack Size

10 sachets of 3gm in a Box

Therapeutic Use

N-acetylcysteine is an FDA-approved antidote primarily used to prevent or reduce severe liver damage following an acetaminophen (paracetamol) overdose. It works by restoring glutathione levels in the liver, which neutralises toxic byproducts from the medication.



TIOLONG DUO

Composition

Tiotropium and Formoterol Fumarate Rotacaps

Pack Size

30 Rotacaps in a Pack

Therapeutic Use

A combination bronchodilator used as a long-term, once-daily maintenance treatment for airflow obstruction. It is primarily prescribed to manage symptoms of COPD, including chronic bronchitis and emphysema.

GASTROENTEROLOGY



ALTAIR

Composition

Activated Charcoal 250 mg + Simethicone 80 mg Dual Coated TAB

Pack Size

5 Strips in Aluminium Packing in a box.

Therapeutic Use

Used to treat gastrointestinal distress by relieving excess gas, bloating, and abdominal discomfort. The dual-coating allows Simethicone to release in the stomach to break up gas bubbles, while Activated Charcoal passes into the intestines to trap and absorb odor and gas-causing toxins.



DROPIC

Composition

Drotaverine Hydrochloride 40mg/2ml

Pack Size

10ampules of 2ml in a Tray Pack

Therapeutic Use

An antispasmodic medication used to relieve painful cramps and spasms in smooth muscles, such as those in the stomach, intestines, and urinary tract.



ESOPIC

Composition

Esomeprazole 40mg Injection

Pack Size

Vial with WFI

Therapeutic Use

A proton pump inhibitor (PPI) used to treat acid-related stomach and intestinal conditions. It is primarily prescribed for adults and children (1 month or older) who need acid suppression but cannot take oral medication and to prevent rebleeding from stomach or duodenal ulcers after an endoscopy.

GASTROENTEROLOGY



LEVOSOL

Composition

Levosulpiride 2ml

Pack Size

10 ampules of 2ml in a Tray Pack

Therapeutic Use

An atypical antipsychotic and prokinetic medication. It is primarily used under medical supervision to treat gastrointestinal disorders like GERD, functional dyspepsia, and diabetic gastroparesis when oral therapy isn't possible. It is also used to manage depression, anxiety, and schizophrenia.

LEVOSOL TAB



Composition

Levosulpiride 25mg Tablet

Pack Size

10 tab in Alu Alu

Therapeutic Use

Used to to treat digestive tract disorders like acid reflux, bloating, and indigestion, as well as certain mental health conditions like depression and anxiety. It functions both as a prokinetic agent to improve gut motility and as an atypical antipsychotic.

PANTAPIC-DSR



Composition

Pantoprazole Gastro-resistant 40mg & Domperidone 30mg Prolonged-release capsules

Pack Size

10 capsules in Alu Alu

Therapeutic Use

Used to treat acid reflux (GERD), gastritis, and peptic ulcers. Pantoprazole reduces stomach acid production, while Domperidone increases digestive motility to relieve nausea, vomiting, bloating, and upper abdominal discomfort.

GASTROENTEROLOGY



PENTAPIC

Composition

Pantoprazole 40mg Injection

Pack Size

Vial with WFI

Therapeutic Use

A proton pump inhibitor (PPI) used to treat conditions with excess stomach acid. It is primarily prescribed as a short-term alternative for patients unable to take oral medication or for managing severe acid overproduction.



REZOL-DSR

Composition

Rabeprazole sodium 20mg + Domperidone 30mg Sustained Release Capsule

Pack Size

10 capsules in Alu Alu

Therapeutic Use

Used to treat gastroesophageal reflux disease (GERD), acid reflux, and peptic ulcers. The combination tackles both the root cause of acid overproduction and the uncomfortable digestive symptoms like nausea, bloating, and vomiting.



REZOL

Composition

Rabeprazole 20mg Injection

Pack Size

Vial with WFI

Therapeutic Use

Used primarily in hospitals or for critically ill patients to rapidly suppress stomach acid. It treats conditions like gastroesophageal reflux disease (GERD), peptic ulcers, and Zollinger-Ellison syndrome and is given when oral medication is not an option.

GASTROENTEROLOGY



TERLIT

Composition

Terlipressin 0.1mg/ml injection

Pack Size

10ml ampule in a Tray Pack

Therapeutic Use

A vasopressin receptor agonist primarily used in emergency settings to treat bleeding oesophagal varices (swollen veins in the food pipe) and hepatorenal syndrome type 1 (rapidly progressive kidney failure in patients with severe liver disease).

NEUROPSYCHIATRY



B1-100

Composition

Thiamine Hydrochloride 100mg Tab

Pack Size

10*10 ALU ALU

Therapeutic Use

Used to treat and prevent vitamin B1 deficiency. They help the body convert carbohydrates into energy and are essential for healthy heart, brain, and nerve function.



B1-100 INJ

Composition

Thiamine 100mg/ml 2ml inj

Pack Size

10 Ampules of 2ml in a tray pack

Therapeutic Use

Used to treat and prevent vitamin B1 deficiency. They help the body convert carbohydrates into energy and are essential for healthy heart, brain, and nerve function.



CERESOL-P

Composition

Cerebroprotein + Ginkgo Biloba + Thiamine tab

Pack Size

10*10 ALU ALU

Therapeutic Use

A combination of Cerebroprotein Hydrolysate, Ginkgo Biloba, and Thiamine (Vitamin B1) is a neuroprotective supplement designed to support brain health, enhance memory, and aid in neurological recovery. It works by protecting nerve cells, improving blood circulation in the brain, and supporting cellular energy.

NEUROPSYCHIATRY



CERESOL

Composition

Cerebroprotein Hydrolysate 60mg

Pack Size

Vial with WFI in a tray pack

Therapeutic Use

Used in neurology and rehabilitation to support brain recovery, protect nerve cells, and stimulate neuronal growth. It is primarily prescribed for the recovery phase of ischemic stroke, traumatic brain injury (TBI), Alzheimer's disease, dementia, and cognitive decline.



CLOPIC

Composition

Clonazepam MD tab 0.25/0.5mg

Pack Size

10 Tablets in blister

Therapeutic Use

- Seizure Disorders: Controls various types of epilepsy, including absence seizures and Lennox-Gastaut syndrome, by calming abnormal electrical activity in the brain.
- Panic Disorder: Treats sudden, unexpected panic attacks with or without agoraphobia .



COGNIZENT

Composition

L-Carnosine Syrup 500mg

Pack Size

200ml bottle

Therapeutic Use

Used to support neurological, metabolic, and muscular health. It is valued for its antioxidant and anti-glycation properties, which protect cells from oxidative damage.

NEUROPSYCHIATRY

CITISOL-P



Composition

Citicoline 500mg + Piracetam 800mg Tab

Pack Size

10*10 ALU ALU

Therapeutic Use

They are primarily used to aid stroke recovery, manage dementia and Alzheimer's, and improve brain function after traumatic brain injuries or age-related memory loss.

CITISOL



Composition

Citicoline 250mg inj

Pack Size

2ml ampule in a Tray pack

Therapeutic Use

Citicoline injection is a prescription neuroprotective medication used primarily in hospitals and clinical settings. It works by nourishing and repairing damaged nerve cells in the brain, improving brain metabolism, and restoring cognitive functions.

ETIMATE



Composition

Etizolam MD Tab 0.25/0.5mg

Pack Size

10*10 ALU ALU

Therapeutic Use

Etizolam is a prescription thienodiazepine medication used to treat short-term anxiety, panic disorders, and insomnia. It works by increasing the activity of GABA in the brain, which produces a calming effect.

NEUROPSYCHIATRY



ETIMATE-PRO

Composition

Etizolam 0.5 + Propranolol 10mg Tab.

Pack Size

10 Tab in a blister pack

Therapeutic Use

Used to comprehensively manage anxiety disorders, panic attacks, and performance anxiety. This dual-action treatment simultaneously calms the central nervous system and blocks adrenaline-induced physical symptoms like rapid heart rate, palpitations, and sweating.



GABAMATE-NT

Composition

Gabapentin 400mg + Nortriptyline 10mg Tab.

Pack Size

15 Tab in a blister pack

Therapeutic Use

Used to treat chronic neuropathic pain (nerve pain) caused by conditions like diabetes, shingles, or spinal cord injuries. The combination calms damaged nerves and blocks pain signals while also improving mood and sleep quality.



LABETASOL INJ

Composition

Labetalol 100mg Inj

Pack Size

2 vials of 4ml in a Tray pack

Therapeutic Use

A fast-acting alpha-beta-blocker used primarily in hospital settings to rapidly treat severe high blood pressure (hypertensive emergencies). It prevents life-threatening complications like stroke and heart failure by safely lowering blood pressure and heart rate without significantly reducing cardiac output.

NEUROPSYCHIATRY



LABETASOL

Composition

Labetalol Hydrochloride 100mg Tab.

Pack Size

10 tab in a blister pack

Therapeutic Use

Used to treat high blood pressure (hypertension). By acting as a dual alpha- and beta-blocker, it relaxes blood vessels and slows the heart rate, making it a first-line medication for managing pregnancy-induced hypertension and preventing severe cardiovascular events like heart attacks and strokes.



LEVIPEX-500

Composition

Levetiracetam 500mg Tab.

Pack Size

10 tab in a blister pack

Therapeutic Use

Levetiracetam 500mg Tablets IP are a prescription anticonvulsant used to treat, control, and prevent epileptic seizures. It works by stabilizing abnormal electrical activity in the brain.



LEVIPEX

Composition

Levetiracetam 500mg inj

Pack Size

5ml vial

Therapeutic Use

Levetiracetam injection is an anticonvulsant used to control epilepsy-related seizures. It is typically administered intravenously in hospitals or clinics for patients unable to take oral medications temporarily.

NEUROPSYCHIATRY



NEUROPIC

Composition

Piracetam 800mg Syrup

Pack Size

100ml bottle

Therapeutic Use

Piracetam syrup is a cognitive-enhancing (nootropic) medication used to protect the nervous system and brain from oxygen deprivation. It works by facilitating communication between nerve cells.



OSMOL-G

Composition

Manniton + Glycerin I.V. Infusion

Pack Size

100ml

Therapeutic Use

Mannitol and Glycerin I.V. infusion is a powerful osmotic diuretic combination used primarily to reduce brain swelling (cerebral edema), lower pressure inside the skull (intracranial pressure), and manage acute medical emergencies.



PHANTERMINE

Composition

Mephentermine 30mg/ml Inj.

Pack Size

10ml Vial

Therapeutic Use

A sympathomimetic medication primarily used in emergency and hospital settings to rapidly treat and stabilize low blood pressure (hypotension). It works by stimulating the heart and constricting blood vessels to improve circulation and blood flow to vital organs.

NEUROPSYCHIATRY



SOLUMATE

Composition

Methylprednisolone Sodium Succinate Inj.

Pack Size

1gm/500mg Vial with WFI in a Tray pack

Therapeutic Use

A potent, fast-acting injectable corticosteroid. It is used in hospital and clinical settings to rapidly suppress inflammation, treat acute autoimmune flare-ups, manage severe allergic reactions, and treat adrenal gland issues.



SOLUMATE-4

Composition

Methylprednisolone 4mg Tab.

Pack Size

10*10 ALU ALU

Therapeutic Use

A potent, fast-acting injectable corticosteroid. It is used in hospital and clinical settings to rapidly suppress inflammation, treat acute autoimmune flare-ups, manage severe allergic reactions, and treat adrenal gland issues.



SOLUMATE

Composition

Methylprednisolone Sodium Succinate Inj.

Pack Size

125mg/40mg Vial

Therapeutic Use

A potent, fast-acting injectable corticosteroid. It is used in hospital and clinical settings to rapidly suppress inflammation, treat acute autoimmune flare-ups, manage severe allergic reactions, and treat adrenal gland issues.

NEUROPSYCHIATRY

STALOMIND-PLUS



Composition

Escitalopram 10mg + Clonazepam 0.5mg tab.

Pack Size

15 tab ALU ALU

Therapeutic Use

A prescription medication used to treat various mental health conditions, primarily anxiety disorders, major depression, and panic attacks. It combines an SSRI antidepressant with a benzodiazepine to balance brain chemistry and provide a calming effect.

VALPIC



Composition

Sodium Valproate 100mg/ml Inj.

Pack Size

5ml Vial

Therapeutic Use

An intravenous (IV) anticonvulsant primarily used to rapidly control seizures in emergency settings. It is given when oral medication is not possible, such as in critical care units, for status epilepticus, or for short-term perioperative seizure prevention.

GYNECOLOGY



ALVIS GT-75

Composition

Dextrose Anhydrous 75gm

Pack Size

75gm Ready to drink solution

Therapeutic Use

Used as the standard adult dose for the Oral Glucose Tolerance Test (OGTT) to screen for gestational diabetes and type 2 diabetes. Once dissolved in water, the rapid absorption of this pure, water-free sugar gives doctors an accurate, standardized way to measure how your body processes glucose.



ALFOS

Composition

Fosfomycin Trometamol Powder

Pack Size

3gm Sachet

Therapeutic Use

A broad-spectrum antibiotic used to treat uncomplicated lower urinary tract infections (UTIs) like acute cystitis. It is highly valued for its single-dose format, which is dissolved in water and targets sensitive bacteria such as E. coli and Enterococcus.



DYDROPEX

Composition

Dydrogesterone 10mg Tab.

Pack Size

10 Tab in a blister pack

Therapeutic Use

Dydrogesterone is an orally active, synthetic progestogen that mimics natural progesterone. It is primarily prescribed to treat conditions caused by progesterone deficiency, regulate the menstrual cycle, support early pregnancy, and manage hormone replacement therapy (HRT).

GYNECOLOGY



GEST-500

Composition

Hydroxyprogesterone Caproate IP 500mg Inj.

Pack Size

2ml ampule with sterile syringe and needle in a tray pack

Therapeutic Use

Hydroxyprogesterone injection is a synthetic progestin hormone. Used to reduce the risk of recurrent spontaneous preterm birth in women pregnant with a single baby who have a history of premature delivery. It is also used off-label in some regions to manage irregular periods or treat hormone-related gynecological conditions.

LABETASOL TAB



Composition

Labetalol Hydrochloride 100mg Inj.

Pack Size

10 tab in a blister pack

Therapeutic Use

Used to treat high blood pressure (hypertension). By acting as a dual alpha- and beta-blocker, it relaxes blood vessels and slows the heart rate, making it a first-line medication for managing pregnancy-induced hypertension.

LABETASOL



Composition

Labetalol 100mg Inj.

Pack Size

2 vials of 4ml in a Tray Pack

Therapeutic Use

A fast-acting alpha and beta-blocker used primarily in hospital settings to rapidly treat severe high blood pressure (hypertensive emergencies). It prevents life-threatening complications like stroke and heart failure by safely lowering blood pressure and heart rate without significantly reducing cardiac output.

NUTRACEUTICALS



MYOPEX

Composition

Magnesium Bisglycinate and L-Carnitine along with Vitamin E, D3, B6, B12, Thiamine, Zinc, L-methylfolate calcium, Pyridoxal-5-Phosphate, Calcium Pantothenate and Chromium Picolinate

Therapeutic Use

. Helps reduce muscle cramps.
. Stimulates GABA.
. Helps absorb calcium in the body.
. Stimulates nerves regeneration.



BIO-CK2

Composition

CCM, Calcitirol, Vitamin K2-7 Tab

Pack Size

10 tab in a blister pack

Therapeutic Use

The combination promotes healthy bone mineralisation, prevents fractures, and manages bone-weakening conditions such as osteoporosis by directing calcium into the bones while keeping blood vessels clear.



CALPEX

Composition

Coral Calcium, Cholecalciferol, Mg & Zn Tab.

Pack Size

Chewable, 10 Tab Blister pack in Strawberry flavour

Therapeutic Use

A comprehensive nutritional supplement designed to support bone density, muscle function, and immune health. This specific combination is primarily used to prevent deficiencies and manage conditions like osteoporosis (weak, brittle bones), osteomalacia, and muscle spasms.

NUTRACEUTICALS

ALBUPEX



Composition

Oral Albumen Powder 30 gm sachet
Provides 21 gm protein in 1 Sachet

Pack Size

10 sachets of 30 gm in a box

Therapeutic Use

Accelerated Wound Healing: Promotes faster tissue repair and is highly beneficial for healing surgical wounds, bedsores, and burns.
Nutritional Support: Aids in combating malnutrition during chronic illnesses, including liver disease, kidney failure, or post-COVID recovery.

DHA-MAX



Composition

DHA, EPA, L-Arginine Syrup

Pack Size

225ml in a bottle

Therapeutic Use

DHA acts as a primary building block for the brain. Syrups are often used to help improve a child's memory, focus, and overall learning abilities.
DHA is a vital structural component of the retina. Supplementing can support visual development and maintain healthy eyesight.

FORTIUM-HP



Composition

High Protein(60%) with BCAAs

Pack Size

200gm pack

Therapeutic Use

High Protein: Builds and repairs tissues, supports muscle growth, and aids in overall body recovery.
BCAA (Branched-Chain Amino Acids): Speeds up muscle recovery, minimizes post-workout soreness, and prevents muscle breakdown during intense activities.

ALVIS®

PARTNER WITH ALVIS

Grow with a brand you can trust.



- 200+ Quality Products
- WHO-GMP Manufacturing
- Attractive Business Opportunity
- Strong Marketing Support
- Timely Supply & Distribution

Let's build a healthier tomorrow, together.

+91 7027742069 | info@alvismedisynthesis.in | www.alvismedisynthesis.in